BIRCH, STEWART, KOLASCH & BIRCH, LLP



OF COUNSEL.
HERBERT M. BIRCH (1905-1996)
ELLIOT A. GOLDBERG*
WILLIAM L. GATES*
EDWARD H. VALANCE
RUPERT J. BRADY (RET.)*
F. PRINCE BUTLER
FRED S. WHISENHUNT

*ADMITTED TO A BAR OTHER THAN VA

INTELLECTUAL PROPERTY LAW
8110 GATEHOUSE ROAD
SUITE 500 EAST
FALLS CHURCH, VA 22042-1210
U S A
(703) 205-8000

FAX: (703) 205-8050 (703) 698-8590 (G IV)

e-mail: mailroom@bskb.com web: http://www.bskb.com

CALIFORNIA OFFICE: COSTA MESA, CALIFORNIA THOMAS S AUCHTERLONIE
JAMES T. ELLER, JR
SCOTT L LOWE
MARK J NUELL, Ph D
D. RICHARD ANDERSON
PAUL C. LEWIS
MARK W MILSTEAD*
RICHARD J GALLAGHER
JAYNE M. SAYDAH*

JAYNE M. SAYDAH*

REG PATENT AGENTS:
FREDERICK R. HANDREN
MARYANNE ARMSTRONG, Ph D.
MAKI HATSUMI
MIKE S. RYU
CRAIG A MCROBBIE
GARTH M. DAHLEN, Ph.D.
LAURA C LUTZ
ROBERT E. GOOZNER, Ph.D
HYUNG N. SOHN
MATTHEW J. LATTIG
ALAN PEDERSEN-GILES
C. KEITH MONTGOMERY
TIMOTHY R. WYCKOFF
KRISTIL, RUPERT, Ph.D.
LARRY J. HUME
ALBERT LEE
HRAYR A. SAYADIAN, Ph D.

Date: October 19, 2000

Docket No.: 3542-0111P

| 1 | |
|--------------|--|
| Assi | stant Commissioner for Patents |
| | PATENT APPLICATION |
| Wash | ington, D.C. 20231 |
| [## C | |
| Sir: | |
| 10 | smitted herewith for filing is the patent application of |
| Inve | ntor(s): WATANABE, Shigehisa |
| | |
| For: | SOUND PRODUCING DEVICE FOR AN ELECTRONIC INSTRUMENT SUCH AS A TELEPHONE |
| logi Jesa | |
| | osed are: |
| EIICL | osed are: |
| <u>X</u> | A specification consisting of $\underline{10}$ pages |
| <u>X</u> | 03 sheet(s) of Formal drawings |
| <u>X</u> | An assignment of the invention |
| | Certified copy of Priority Document(s) |
| <u>x</u> | Executed Declaration X Original Photocopy |
| | A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27 |
| | Preliminary Amendment |
| | Information Disclosure Statement, PTO-1449 and reference(s) |

___ Other

The filing fee has been calculated as shown below:

LARGE ENTITY

SMALL ENTITY

| FOR | NO. FILED | NO. EXTRA | RATE | FEE | | RATE | FEE |
|--------------------|---------------------|------------------|---------|----------|----|--------------|----------|
| BASIC FEE | ********* ****** | ******* ***** | | \$710.00 | or | **** **** | \$355.00 |
| TOTAL CLAIMS | 5 - 20 = | 0 | x18 =\$ | 0.00 | or | x 9 = \$ | 0.00 |
| INDEPENDENT | 2 - 3 = | 0 | x80 =\$ | 0.00 | or | x 40 = \$ | 0.00 |
| MULTIPLE DEPENDENT | | | +270 = | \$ 0.00 | or | +135 = \$ | 0.00 |

TOTAL \$ 710.00

TOTAL \$

0.00

A check in the amount of $\frac{5}{750.00}$ to cover the filing fee and recording fee (if applicable) is enclosed.

Please charge Deposit Account No. 02-2448 in the amount of \$_____. A triplicate copy of this transmittal form is enclosed.

No fee is enclosed.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. 1.16 or under 37 C.F.R. 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

JAMES M. SLATTERY

/Reg. No. 28,380

P. O. Box 747

Falls Church, Virginia 22040-0747

I X

rų.

(703) 205-8000 JMS/cgc

15

25

TITLE OF THE INVENTION

SOUND PRODUCING DEVICE FOR AN ELECTRONIC INSTRUMENT SUCH AS A TELEPHONE

5 BACKGROUND OF THE INVENTION

The present invention relates to a sound producing device and an electronic instrument provided with the sound producing device.

An electronic instrument such as a portable telephone is provided with a sound producing device having a sound producer for producing telephone ring. The sound producing device is mounted in a case of the electronic instrument.

The sound emitted from the sound producing device is reflected from walls in the case. Consequently, reflected sound waves interfere with each other or are attenuated, which renders the sound to be indistinct. The attenuation of the sound waves causes the sound pressure to reduce. If the sound pressure reduces in the portable telephone, the telephone ring can not be confirmed.

In order to resolve the above described problems, it is necessary to emit the sound without leaking the sound in the case.

Fig. 5 shows a conventional sound producing device having a device for preventing the leakage of the sound. A sound producing device 1 is securely mounted on a substrate 2 secured to a case 3 of a portable telephone as an electronic instrument. The sound producing device 1 has a buzzer (not shown) as an electroacoustic transducer.

15

20

25

The sound producing device 1 has a sound discharge hole 1a, and the case 3 has a sound discharge hole 3a opposite the sound discharge hole 1a. A sound guide pipe 5 is provided between walls surrounding the sound discharge holes 1a and 3a so as to discharge the emitted sound without leaking in the case 3.

However, the sound guide pipe 5 causes the number of parts of the sound producing device 1 and the number of steps for manufacturing the device to increase. Further, it is difficult to accurately coincide the sound guide pipe with both the holes 1a and 3a.

SUMMARY OF THE INVENTION

An object of the present invention is to provide sound producing device which is simple in construction.

Another object of the present invention is to provide an electronic instrument which can be easily manufactured.

According to the present invention, there is provided a sound producing device to be mounted in an electronic instrument, comprising a case, an electroacoustic transducer mounted in the case, and a sound discharging nozzle projected from the case and communicated with an upper chamber above the electroacoustic transducer so as to discharge a sound produced by the electroacoustic transducer.

The device further comprises a substrate secured to the case and mounting the electroacoustic transducer, the nozzle is projected from the case in parallel with the substrate.

15

2.5

The present invention further provides an electronic instrument comprising a first case, a sound producing device mounted in the first case, the sound producing device comprising a second case, and electroacoustic transducer mounted in the second case and a sound discharging nozzle projected from the case and communicated with an upper chamber above the electroacoustic transducer so as to discharge a sound produced by the electroacoustic transducer, the sound discharging nozzle being inserted in an opening formed in the first case.

The first case comprises an upper case and a lower case, the upper case has a downward recess, the opening is formed by combining the upper case and the lower case.

These and other objects and features of the present invention will become more apparent from the following detailed description with reference to the accompanying drawings.

BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 is a perspective view showing a sound producing device according to the present invention;

Fig. 2a is a plan view of the sound producing device according to the present invention;

Fig. 2b is a front view of the sound producing device according to the present invention;

Fig. 2c is a reverse view of the sound producing device according to the present invention;

Fig. 2d is a side view of the sound producing device

15

20

25

according to the present invention;

Fig. 3 is an enlarged sectional side view of the sound producing device according to the present invention;

Fig. 4a is a sectional side view of an electronic instrument according to a second embodiment of the present invention.

Fig. 4b is a sectional side view of an electronic instrument according to a second embodiment of the present invention.

Fig. 5 is a sectional side view of a conventional electronic instrument.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to Figs. 1 to 3, an electromagnetic sound producing device 10 according to the present invention comprises a buzzer 11 as an electroacoustic transducer, which buzzer is contained in a casing 12. The case 12 comprises a plastic lower casing 12a secured to a substrate 13 and an upper plastic casing 12b fixed to the lower casing 12a. The four corners of the peripheral wall are chamfered, as shown in Fig. 2a.

Referring to Fig. 2c externally connecting terminals 14 and 15 are projected from the lower case 12a. The externally connecting terminals 14 and 15 are provided to connect a coil of the sound producing device with a circuit formed on the substrate 13.

Referring to Fig. 3, the buzzer 11 comprises a magnetic yoke 16 secured to the lower casing 12a and having a center

15

25

pole 17, and an armature supporting cylinder 18 made of brass securely mounted on the yoke 16 with adhesive. A coil 20 is mounted on the yoke 16, coaxial with the center pole 17. By mounting the coil, both ends of the coil are electrically connected to the respective externally connecting terminals 14 and 15 through inside terminals (not shown). A cylindrical permanent magnet 22 which is vertically magnetized is disposed on the yoke 16 so as to surround the coil 20.

An armature 23 having a weight 24 secured on the surface at the center thereof is mounted on the upper edge of the supporting cylinder 18 and attracted by the magnetic force of the permanent magnet 22 thereby defining a lower chamber 25 and an upper chamber 26 in the space inside the lower and upper casings 12a and 12b. The yoke 16, coil 20 and the permanent magnet 22 compose an actuator for driving the armature 23. The armature 23 is normally attracted to the supporting cylinder 18 by the magnetomotive force of the permanent magnet 22.

The upper casing 12b has a shape similar to that of the lower casing 12a. A plurality of armature stoppers 27 are formed on the underside of the upper case 21b, forming a small gap between the lower surfaces of stoppers 27 and the armature 23.

In accordance with the present invention, the sound producing device is provided with a sound discharging nozzle 28 having a rectangular sectional shape and projected from the upper casing 12b in parallel with the substrate 13 and

15

20

25

communicated with the upper chamber 26.

Referring to 4a, the sound producing device 10 of present invention is mounted in a case 30 of a portable telephone. The case 30 comprises an upper case 30a and a lower case 30b. The upper case 30a has a downward recess 30c. Thus, by combining the upper and lower cases 30a and 30b, an opening 32 is formed. The opening 32 has a shape so as to receive the nozzle 28 of the sound producing device 10.

The substrate 13 of the sound producing device 10 is secured to a base 31 of the lower case 30b. The sound discharging nozzle 28 of the sound producing device 10 is mounted on the edge of the lower case 30b. When the upper case 30a is engaged with the lower case 30b, the downward recess 30c covers the nozzle 28. As a result, the nozzle 28 is inserted in the opening 32. In the assembled state, the opening end 28a (Fig. 1) of the nozzle 28 coincides with an opening end 32a of the opening 32.

In operation, the sound produced by the sound producing device 10 is discharged from the opening end 28a of the nozzle 28. Since the opening end 28a of the nozzle 28 is opened at the opening end 32a of the opening 32, the sound is entirely discharged from the case 30 without leaking in the case. Thus, clear sound emits from the nozzle 28.

Referring to Fig. 4b showing the second embodiment of the present invention, a case 35 of a portable telephone has an opening 36 having a larger diameter than that of the first embodiment. In the opening 36, a cylindrical cushion 37

15

having a flange 37a is secured with adhesive. The sound producing device 10 is the same as the first embodiment in construction and operation. The nozzle 28 of the sound producing device 10 is inserted in the cushion 37.

In the second embodiment of the present invention, since the cushion 37 holds the nozzle 28, if the portable telephone drops, the nozzle is prevented from breaking.

In accordance with the present invention, since the sound guide pipe is not provided between the case of the electronic instrument and the sound producing device, the electronic instrument can be easily manufactured.

While the invention has been described in conjunction with preferred specific embodiment thereof, it will be understood that this description is intended to illustrate and not limit the scope of the invention, which is defined by the following claims.

What is claimed is

1. A sound producing device to be mounted in an electronic instrument, comprising:

a case;

5

25

an electroacoustic transducer mounted in the case;
a sound discharging nozzle projected from the case and
communicated with an upper chamber above the electroacoustic
transducer so as to discharge a sound produced by the
electroacoustic transducer.

- 2. The device according to claim 1 further comprising a substrate secured to the case and mounting the electroacoustic transducer, said nozzle projecting from the case in parallel with the substrate.
- 3. An electronic instrument comprising a first case, a sound producing device mounted in the first case; the sound producing device comprising:

a second case;

an electroacoustic transducer mounted in the second case;

a sound discharging nozzle projected from the second case and communicated with an upper chamber above the electroacoustic transducer so as to discharge a sound produced by the electroacoustic transducer;

the sound discharging nozzle being inserted in an opening formed in the first case.

4. The electronic instrument according to claim 3 wherein the first case comprises an upper case and a lower case, the upper case has a downward recess, said opening is

formed by combining the upper case and the lower case.

5. The electronic instrument according to claim 3 further comprising a cylindrical cushion provided between an inside wall of the opening and an outside wall of the sound discharging nozzle.

SOUND PRODUCING DEVICE FOR AN ELECTRONIC INSTRUMENT SUCH AS A TELEPHONE

Abstract of the Disclosure

A sound producing device has an electroacoustic transducer mounted in a case. A sound discharging nozzle is projected from the case and communicated with an upper

chamber above the electroacoustic transducer.

FIG. 1




FIG.2a

12b

28




FIG.2b




FIG. 2d




FIG. 3




FIG. 4a





FIG. 4b
36
30a
30a
10

FIG. 5





Ξ

BIRCH, STEWART, KOLASCH & BIRCH, LLP

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING


Page 1 of 2

P.O. Box 747 • Falls Church, Virginia 22040-0747 Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: SOUND PRODUCING DEVICE FOR AN ELECTRONIC INSTRUMENT

| nsert Title: | | SUCH AS A | TELEPHONE | | | | | |
|--|--|--|--|---|--|---|--|--|
| Fill in Appropriate | the specification of | which is attached l | hereto. If not attached here | eto, | | | | |
| nformation - | the specification | on was filed on | · · · · · · · · · · · · · · · · · · · | | | as | | |
| For Use Without | United States | Application Numb | er | | 06 11 11 | · | | |
| Specification | and amended | on | | | (if applicable | e) and/or | | |
| Attached: | uie specification | ni was med on | | | | as PCI and was | | |
| | | | ar | | | plicable) | | |
| | | | | | | - ' | | |
| | amended by any an I acknowledge Regulations, \$1.56. | nendment referred the duty to disc | to above. lose information which is | ntents of the above-identified specifications material to patentability as defined | in Title 37, Co | de of Federal | | |
| from the first of the first fi | thereof, or patented year prior to this applicate of this applicate of this applicate of this application of the patent or inventor's application by me I hereby claim or inventor's certific | I or described in a pplication, that the ation, that the inve- ation in any cour signs more than t certificate on this or my legal represe. foreign priority be tate listed below at | ny printed publication in e same was not in public intion has not been patent try foreign to the Unite welve months (six month invention has been filed in intatives or assigns, except enefits under Title 35. Unite prefits under Title 35. Unite treefits under Title 35. Unite enefits enefit | ited States Code, §119(a)-(d) of any for ow any foreign application for patent c | ion thereof or n America more of scertificate issue on filed by me on, and that no a states of America reign application | nore than one than one than one year led before the cor my legal pplication for a prior to this | | |
| e e e e e e e e e e e e e e e e e e e | Prior Foreign Ap | olication(s) | | | Priority (| Claimed | | |
| nsert Priority | Thorroreign rip | pinea do m(s) | | October 22 1000 | • | | | |
| nformation: | No. 11-30 | 1767 <u>Japa</u> | ın | October 22, 1999 | X | | | |
| if appropriate) | (Number) | (Country) | | (Month/Day/Year Filed) | Yes | No | | |
| 4 and | | | | | | | | |
| | (Number) | (Country) | | (Month/Day/Year Filed) | Yes | No | | |
| 2 Page 1 | (* ************************************ | ()) | | , , ,, | | - | | |
| The first that the fi | | | | 0.6 d (D) (D) (Fig. 1) | | LI N | | |
| 100 100 | (Number) | (Country) | | (Month/Day/Year Filed) | Yes | No | | |
| | | | | | | | | |
| | (Number) | (Country) | | (Month/Day/Year Filed) | Yes | No | | |
| | I hereby claim the b | enefit under Title | 35, United States Code, §1 | 19(e) of any United States provisional a | pplications(s) li | sted below. | | |
| nsert Provisional | (A lt tt hT l | | | (Filing Date) | | ·_ · · · · · · · · · · · · · · · · · · | | |
| Application(s): if any) | (Application Numb | er) | | (rmity Date) | | | | |
| | (Application Number) (Filing Date) | | | | | | | |
| | All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More than 12 Months (6 Months for Designs) Prior to the Filing Date of This Application: | | | | | | | |
| | Country | | Application Number | Date of Filing (Month | n/Day/Year) | | | |
| insert Requested information: (if appropriate) | | | | | | | | |
| | I hereby claim the benefit under Title 35, United States Code, §120 of any United States and/or PCT application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States and/or PCT application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application. | | | | | | | |
| Insert Prior U.S. Application(s): (if any) | (Application Numb | er) | (Filing Date) | (Status - patented, pe | nding, abandon | ed) | | |
| | (Application Numb | er) | (Filing Date) | (Status - patented, pe | nding, abandon | ed) | | |



I hereby appoint the following attorneys to prosecute this application and/or an international application based on this Application and to transact all business in the Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:

| Raymond C. Stewart | (Reg. No. 21,066) | Terrell C. Birch | (Reg. No. 1 <u>9</u> ,382) |
|---------------------|-------------------|-----------------------|----------------------------|
| Joseph A. Kolasch | (Reg. No. 22,463) | James M. Slattery | (Reg. No. 28,380) |
| Bernard L. Sweeney | (Reg. No. 24,448) | Michael K. Mutter | (Reg. No. 29,680) |
| Charles Gorenstein | (Reg. No. 29,271) | Gerald M. Murphy, Jr. | (Reg. No. 28,977) |
| Leonard R. Svensson | (Reg. No. 30,330) | Terry L. Clark | (Reg. No. 32,644) |
| Andrew D. Meikle | (Reg. No. 32,868) | Marc S. Weiner | (Reg. No. 32,181) |
| Joe McKinney Muncy | (Reg. No. 32,334) | Donald J. Daley | (Reg. No. 34,313) |
| John W. Bailey | (Reg. No. 32,881) | John A. Castellano | (Reg. No. 35,094) |

Send Correspondence to:

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 • Falls Church, Virginia 22040-0747

or Customer No. 2292

Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING:

Full Name of First or Sole Inventor: Insert Name of Inventor Insert Date This Degreement is Signed

Insert Residence Insert Citizenship Insert Post Office Address

Full Name of Second Inventor, if any: see above

Full Name of Third Inventor, if any: see above

Full Name of Fourth Inventor, if any: see above

:: [_______

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

| GIVEN NAME/FAMILY NAME | INVENTOR'S SIGNATURE | | DATE* |
|---|--|-------------|---------------|
| Shigehisa WATANABE | 5. Watanabe | | Sep. 27. 2000 |
| Residence (City, State & Country) | | CITIZENSHII | • |
| Fujiyoshida-shi, Yamanas | hi-ken, Japan | Japan | |
| POST OFFICE ADDRESS (Complete Street Addr C/O Citizen Electronics 1-23-1, Kamikurechi, Fuji | ess including City, State & Country) Co., Ltd., Lyosnida-shi, Yama | nashi-ke | en, Japan |
| GIVEN NAME/FAMILY NAME | INVENTOR'S SIGNATURE | | DATE* |
| Residence (City, State & Country) | | CITIZENSHII | |
| POST OFFICE ADDRESS (Complete Street Addr | ess including City, State & Country) | | |
| GIVEN NAME/FAMILY NAME | INVENTOR'S SIGNATURE | | DATE* |
| Residence (City, State & Country) | | CITIZENSHII | ? |
| POST OFFICE ADDRESS (Complete Street Addr | ess including City, State & Country | | |
| GIVEN NAME/FAMILY NAME | INVENTOR'S SIGNATURE | | DATE* |
| Residence (City, State & Country) | | CITIZENSHII | P |
| POST OFFICE ADDRESS (Complete Street Addr | ress including City, State & Country | | |
| GIVEN NAME/FAMILY NAME | INVENTOR'S SIGNATURE | | DATE* |
| Residence (City, State & Country) | | CITIZENSHII | P |
| POST OFFICE ADDRESS (Complete Street Addr | ress including City, State & Country |) | |

Page 2 of 2 (Revised 11-98)

Full Name of Fifth Inventor, if any:

see above